

IQShare --- Wireless Presentation System




Specifications

Name	IQShare
Model	WP32
Video outputs	HDMI 1.4, comply with HDCP
Frame rate	Up to 60 fps depending on environment (FHD)
Output resolution	720*480, 720*576, 1280*720, 1920*1080(1080P)
Input resolution	Video: 480P, 576P, 720P, 1080P PC timing: 640*480, 800*600, 1024*768, 1280*720, 1920*1080
Simultaneous connections	8 pcs
Max. display windows	4 pcs
Audio	Stereo, Radio quality 16bits 48KHz
Wireless Transmission Band	2.4 GHz & 5 GHz (dual band WIFI)
Wireless Transmission Protocol	IEEE 802.11 a/g/n/ac

Data rate Wireless	> 200 Mbps *2
Authentication protocol	WPA2-PSK (Pre-Share Key)
Security(encryption)	AES
Support OS	Windows, MAC, Android, IOS 8.0 and above
Reach	Max. 15m between IQ3288ES Box and IQ HDMI Dongle
Operating Temperature	-20°~ 70°
Share Button	
Model	H1
Cable	USB Type A, HDMI Cable
Reset Button	*1
LED	3/6 LED(R.G.B)
Touch Back Control	10 Points (Windows, Mac) Mouse Mode(Windows, Mac)
Power Supply	DC5V±10%, 0.5A
Power Consumption	2.5W
Dimension(W*H*D)	64*66*20mm(without wire) 64*275*20mm(with wire)
Weight	86.6g
IQShare Box	
Interface	HDMI 1.4*1, USB*2, RJ45*1, Earphone*1, TF(max. 64GB)*1,DC Power Jack*1
Power Supply	DC5V±10%, 0.5A
Power Consumption	24W
Dimension(W*H*D)	140*85*20mm
Weight	260g

Interfaces

- ① Earphone
- ② LAN
- ③ HDMI interface
- ④ USB interface
- ⑤ TF
- ⑥ USB interface
- ⑦ DC Power Jack
- ⑧ Reset



Dimension (Unit: mm)

