

IQConference Camera CV410 Pro



Specifications

Name	IQConference Camera
Model	CV410 Pro
Camera	
Image Sensor	1/2.8 inch High Quality 4K CMOS Sensor
Effective Pixels	8.28MP, 16:9
Video Output	USB3.0, Type B (support audio-in)
Audio Input	2*Built-in MIC, up to 6m pickup range
Video Resolution	USB3.0 Output: 3840*2160@30, 2560*1440@30, 1920*1080@30, 1600*896@30, 1280*720@30, 1024*576@30, 960*540@30, 800*600@30, 800*448@30, 720*576@30, 720*480@30, 640*480@30, 640*360@30, 480*270@30, 352*288@30, 320*240@30, 320*180@30
View Angle	110° (D) /100°(H)/53°(V)
Focal Length	f=2.26mm
Aperture	F1.8
Minimum Illumination	0.1Lux(F1.8, AGC ON)
Digital zoom	10X
White Balance	Auto / Manual
Focus	Manual
Exposure	Auto / Manual
Auto Framing	On/off
Backlight Contrast	On/off
SNR	>50dB

USB Features	
Operation System	Windows 7(1080P or lower), Windows 8.1, Windows 10, macOS™ 10.10 and above, Android, Linux (UVC)
Video Compression	YUY2, NV12, MJPG, H.264
USB Audio	Support
USB Protocol	UVC, UAC
PTZ Control	EPTZ
Hardware Request	2.4 GHz Intel@ Core 2 Duo Processor or better, 2GB Capacity or more, USB 2.0 Input(USB3.0 for 4K)
Other Specification	
Input Voltage	DC5V
Input Current	1A (Max.)
Power consumption	5W (Max.)
Store Temperature	-10°C ~ +60°C
Store Humidity	20% ~ 90%
Working Temperature	-10°C ~ +50°C
Working Humidity	20% ~ 80%
Dimension (W*H*D)	180mm*42.5mm*46.3mm
Weight	Around 0.3kg
Application	Indoor
Accessory	USB 3.0 cable, User Manual, IR Remote Control

IQConference Camera CV410 Pro (unit: mm)

