

# IQConference Microphone S310



## Specifications

<b>Name</b>	IQConference Microphone
<b>Model</b>	S310
<b>Microphone</b>	Omnidirectional Microphone
<b>Voice bandwidth</b>	0 ~ 8000Hz
<b>Sensitivity</b>	-38 dB, 94dB SPL@1KHz
<b>SNR</b>	65dB, 94dB SPL@1KHz
<b>Speaker</b>	3-inch anti-magnetic speaker
<b>Audio</b>	Full duplex, 256ms echo cancellation, dynamic noise reduction
<b>Pick-up Range</b>	360 degree
<b>Pick-up Distance</b>	3 meters
<b>Support O.S.</b>	·Windows XP / Windows 7 / Windows 8 / Windows 10 etc.
<b>Buttons</b>	Microphone mute button, loudspeaker mute button, volume up/down button, standby button



<b>Working Status</b>	Triangle LED indicator on
<b>Speaker Mute</b>	Left LED indicator on
<b>Microphone Mute</b>	Right LED indicator on
<b>Volume Adjusting</b>	Left LED indicator flashing
<b>Interface</b>	USB 2.0 ( compatible with USB 3.0 )
<b>Full Charge</b>	Right LED indicator in orange
<b>Power Supply</b>	USB charge (DC 5V / 500mA); Built-in lithium battery
<b>W o r k i n g Temperature</b>	5° ~ 44°
<b>Working Humidity</b>	20 ~ 85% (No condensation)
<b>Storage Humidity</b>	-10° ~ 55°
<b>Product Size</b>	155*148*37 mm
<b>Net Weight</b>	340g

**IQConference Microphone S310 (unit: mm)**

